

## DAFTAR PUSTAKA

- Abdullah N, Gerhauser H, Bridgwater AV., 2007. *Bio-Oil from Fast Pyrolysis of Oil Palm Empty Fruit Bunches*. *Journal of Physical Science*, Vol. 18(1): 57–74.
- Abdullah N., Safana A. A., Sulaiman F., and Abdullahi I. I., 2017. *A Comparative Analysis of Physical and Chemical Properties of Biochars and Bio-Oils Obtained from Pyrolytic Process of Mesocarp Fibre and Empty Fruit Bunch*. Vol. 268, pp. 387-392. Trans Tech Publ.
- Abnisa, F., Arami-Niya, A., Daud, W. M. A. W., and Sahu, J. N., 2013. *Characterization of bio-oil and bio-char from pyrolysis of palm oil wastes*. *BioEnergy Research* 6, 830-840.
- Abnisa F., Daud W. M. A. W, Husin W. N. W, Sahu JN, 2011. *Utilization possibilities of palm shell as a source of biomass energy in Malaysia by producing bio-oil in pyrolysis process*. *Biomass Bioenergy* 2011;35:1863e72.
- A. Demirbas, 2005. *Prog. Energy Combust. Sci.* 2005, 31, 466–487.
- A. Demirbas, 2007. *Effects of Moisture and Hydrogen Content on the Heating Value of Fuels, Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, 29:7, 649-655, DOI: 10.1080/009083190957801.
- Agency for Toxic Substances and Disease Registry (ATSDR), 1998. *Toxicological Profile for Phenol (Update)*. Public Health Service, U.S. Department of Health and Human Services, Atlanta, GA.
- Anwar, Z.; Gulfraz, M.; Irshad, M., 2014. *Agro-industrial lignocellulosic biomass a key to unlock the future bio-energy: A brief review*. *J. Radiat. Res. Appl. Sci.* 2014, 7, 163–173.
- Arunachaleshwara P. R., Rajesh Kann, Sreeraj G. Nair, Cifin Francis, Nishanth Bhakthan and Alvin Kuruvila, 2017. *Effect of Free Water and Rust on Flash Point of Diesel*. *International Journal of Engineering And Science* Vol.7, Issue 2 (February 2017), PP -21-24.
- Azadi, P., Inderwildi, O.R., Farnood, R., King, D.A., 2013. *Liquid fuels, hydrogen and chem-icals from lignin: A critical review*. *Renewable and Sustainable Energy Reviews*, 21, 506-523. doi: 10.1016/j.rser.2012.12.022.
- Azduwin, K., Ridzuan, M. J. M., Mohamed, A. R., and Hafis, S. M., 2015. *Pyrolysis of Empty fruit bunch (EFB) in a vertical fixed bed reactor*. Vol. 695, pp. 228-231. Trans Tech Publ.

- Bardalai M. dan D.K. Mahanta, 2015. *A Review of Physical Properties of Biomass Pyrolysis Oil*. *International Journal of Renewable Energy Research*, Vol.5, No.1, 2015. India.
- Basu Prabir., 2010, *Biomass Gasification and Pyrolysis. In Practical Design and Theory*, 32-91. Burlington, USA.
- Bian, J., Peng, P., Peng, F., Xiao, X., Xu, F., and Sun, R. C., 2014. *Microwaveassisted acid hydrolysis to produce xylooligosaccharides from sugarcane bagasse hemicelluloses*. *Food Chem.* 156, 7–13. doi: 10.1016/j.foodchem.2014. 01.112
- Bingham E., Cohrssen B., Powell, C.H., 2001. *Patty's Toxicology Volumes 1-9 5th ed.* John Wiley & Sons. New York, N.Y., p. V4 443.
- Bridgwater A.V., 2004. *Biomass fast pyrolysis, Thermal Science*, vol.8, pp. 21-49,
- Bridgwater A.V., 2012. *Review of fast pyrolysis of biomass and product upgrading. Biomass and Bioenergy*, 38, 68-94. doi: 10.1016/j.biombioe.2011.01.048.
- Chen, H., 2014. *Chemical Composition and Structure of Natural Lignocellulose. In Biotechnology of Lignocellulose: Theory and Practice*, Springer Netherlands: Dordrecht. doi: 10.1007/978-94-007-6898-7\_2, pp. 25-71.
- Chen W. H., Liu S. H., Juang T. T., Tsai C. M., Zhuang Y. Q., 2015. *Characterization of solid and liquid products from bamboo torrefaction*. *Appl Energy* 2015;160:829e35.
- Chen, Wei-Hsin; Lin, Bo-Jhih 2016. *Characteristics of products from the pyrolysis of oil palm fiber and its pellets in nitrogen and carbon dioxide atmospheres*. *Energy*, 94(), 569–578. doi:10.1016/j.energy.2015.11.027
- Collard, F. X. and Blin, J., 2014. *A review on pyrolysis of biomass constituents: Mechanisms and composition of the products obtained from the conversion of cellulose, hemicelluloses and lignin*. *Renewable and Sustainable Energy Reviews*, 38, 594-608. doi: 10.1016/j.rser.2014.06.013.
- Damayanti, D., Wulandari, Y.R., Wu, H.-S. 2020. *Product Distribution of Chemical Product Using Catalytic Depolymerization of Lignin*. *Bulletin of Chemical Reaction Engineering & Catalysis*, 15(2), 432-453 (doi:10.9767/bcrec.15.2.7249.432-453)
- Dessbesell L., Paleologou M., Leitch M., Pulkki R., Xu C., 2020. *Global lignin supply overview and kraft lignin potential as an alternative for petroleum-based polymers*. *Renewable and Sustainable Energy Reviews*, 123, 109768. doi: 10.1016/j.rser.2020.109768.

- Elneel R., S. Anwar, dan B. Ariwahjoedi, 2013. "Prediction of Heating Values of Oil Palm Fronds from Ultimate Analysis," J. Appl. Sci., vol. 13, no. 3, hlm. 491–496, doi: 10.3923/jas.2013.491.496.
- Falco, C., Sieben, J. M., Brun, N., Sevilla, M., van der Maelen, T., Morallon, E., et al., 2013. *Hydrothermal carbons from hemicellulose-derived aqueous hydrolysis products as electrode materials for supercapacitors*. Chemsuschem 6, 374–382. doi: 10.1002/cssc.201200817
- Feng, F.; Liu, W.Y.; Chen, Y.S., 2005. *Study on derivatives of gambogic acid*. J. China Pharm. Univ. 36, 302–305
- Ferreira, M. F. P., Oliveira, B. F. H., Pinheiro, W. B. S., Correa, N. F., França, L. F., and Ribeiro, N. F. P., 2020. *Generation of biofuels by slow pyrolysis of palm empty fruit bunches: Optimization of process variables and characterization of physical-chemical products*. Biomass and Bioenergy 140, 105707.
- Garcia, Manuel-Perez, 2008. *The Formation of Polyaromatic Hydrocarbons and Dioxins During Pyrolysis: A Review of the Literature with Descriptions of Biomass Composition, Fast Pyrolysis Technologies and Thermochemical Reactions*. Washington State University, USA.
- Ginting, A. S., Tambunan, A. H., dan Setiawan, R. P. A., 2015. Karakteristik gas-gas hasil pirolisis tandan kosong kelapa sawit. Journal of Agroindustrial Technology 25.
- Girio, F., Fonseca, C., Carvalheiro, F., Duarte, L. C., Marques, S., and BogelLukasik, R., 2010. *Hemicelluloses for fuel ethanol: a review*. Bioresour. Technol. 101, 4775–4800. doi: 10.1016/j.biortech.2010.01.088
- Haji, A. G., 2013. Komponen kimia asap cair hasil pirolisis limbah padat kelapa sawit. Jurnal Rekayasa Kimia & Lingkungan 9, 110-117.
- Haryanti A., Norsamsi, Putri Suci Fanny Sholiha, Novy Pralisa Putri, 2014. Studi Pemanfaatan Limbah Padat Kelapa Sawit. Konversi, Volume 3 No. 2, Program Studi Teknik Kimia Universitas Mulawarman Samarinda. Kalimantan Timur
- Huang L-Z., Ma M-G, Ji X-X., Choi S-E and Si C., 2021. *Recent Developments and Applications of Hemicellulose From Wheat Straw: A Review*. Front. Bioeng. Biotechnol. 9:690773. doi: 10.3389/fbioe.2021.690773
- Hu, L., Fang, X. , Du, M. , Luo, F. and Guo, S., 2020. *Hemicellulose-Based Polymers Processing and Application*. American Journal of Plant Sciences, 11, 2066-2079. doi: 10.4236/ajps.2020.1112146.

- Idris, R., Chong, W. W. F., Ali, A., Idris, S., Hasan, M. F., Ani, F. N., dan Chong, C. T., 2021. *Phenol-rich bio-oil derivation via microwave-induced fast pyrolysis of oil palm empty fruit bunch with activated carbon. Environmental Technology & Innovation* 21, 101291.
- Jensen, P. A., Trinh, T. N., Dam-Johansen, K., Knudsen, N. O., and Sørensen, H. R., 2014. *Treatment of Lignin and waste residues by flash pyrolysis.*
- Khor, K. H., Zainal, A., dan Ong, L., 2009. *Laboratory-scale pyrolysis of oil palm pressed fruit fibres. Journal of Oil Palm Research* 21, 577-587.
- Kondo Y. dan M. Arsyad, 2018, Analisis Kandungan Lignin, Selulosa, dan Hemisellulosa Serat Sabut Kelapa Akibat Perlakuan Alkali, Makasar
- Lee, H., Jae, J., Lee, H. W., Park, S., Jeong, J., Lam, S. S., & Park, Y.-K. 2019. *Production of Bio-oil with Reduced Polycyclic Aromatic Hydrocarbons via Continuous Pyrolysis of Biobutanol Process Derived Waste Lignin. Journal of Hazardous Materials*, 121231. doi: 10.1016/j.jhazmat.2019.121231.
- Lorenc J.F., 2014. Alkylphenols. Kirk-Othmer *Encyclopedia of Chemical Technology*.
- Marpaung D.S., 2009. Pemanfaatan Limbah Pabrik kelapa Sawit sebagai Pembangkit Listrik.
- Maulina S., Nurtahara, Fakhradila, 2018. Pirolisis Pelepah Kelapa Sawit untuk Menghasilkan Fenol Pada Asap Cair. *Jurnal Teknik Kimia USU*, Vol. 7, No. 2. Medan.
- Mohamed, A. R., Awang, A. N., Salleh, N. H. M., and Ahmad, R., 2020. *Thermal pyrolysis of empty fruit bunch (EFB) in a vertical fixed-bed reactor.* Vol. 932, pp. 012007. IOP Publishing.
- Mohan Dinesh, Charles U. Pittman, Jr., and Philip H. Steele, 2006. *Pyrolysis of Wood/Biomass for Bio-oil: A Critical Review. Energy & Fuels* vol. 20, 848-889. Department of Chemistry, Mississippi State University.
- National Research Council, 1977. *Drinking Water & Health* Volume 1. Washington, DC: National Academy Press, 1977., p. 740
- Nhuchhen D. R. dan Afzal M. T., 2017. "HHV Predicting Correlations for Torrefied Biomass Using Proximate and Ultimate Analyses," *Bioengineering*, vol. 4, no. 1, Jan doi: 10.3390/bioengineering4010007.
- Okoroigwe, E. C., Saffron, C. M. dan Kamdem, P. D., 2014. *Characterization of palm kernel shell for materials reinforcement and water treatment. Journal of Chemical Engineering and Materials Science*, 5(1), 1-6.

- O'Neil M.J., 2013. (ed.). *The Merck Index - An Encyclopedia of Chemicals, Drugs, and Biologicals*. Cambridge, UK: Royal Society of Chemistry., p. 515
- Omar N.N, N. Abdullah, I.S. Mustafa and F. Sulaiman, 2018. *Characterisation of Oil Palm Frond for Bio-oil Production. School of Physics*. Universiti Sains Malaysia. 11800 USM Pulau Pinang. Malaysia.
- Oasmaa Anja, Anssi Kalli, Christian Lindfors, Douglas C. Elliott, Dave Springer, Cordner Peacocke and David Chiaramonti, 2011. *Guidelines for Transportation, Handling, and Use of Fast Pyrolysis Bio-Oil. 1. Flammability and Toxicity. Data in Energy & Fuels*, Januari. DOI: 10.1021/ef300418d
- Panwar NL, Kaushik SC, Kothari S.Roleof, 2011. *Renewable energy sourcesin environmental protection : Renewable and Sustainable Energy Volume 15*, April , Pages 1513 1524.
- Pardamaian, M, 2008, Panduan Lengkap Pengelolaan Kabun dan Pabrik Kelapa Sawit, Cetakan Pertama, Pustaka Angromedia, Jakarta.
- Pranata R. H. dan Zulfan Arico1, 2019. Pemanfaatan Limbah Kebun Pelepah Kelapa Sawit (*Elaeis guinensis Jacq*) Sebagai Alternatif Pakan Ternak Bernilai Gizi Tinggi. *Jurnal Biologica Samudra 1 (1): 17-24*. Program Studi Biologi, Fakultas Teknik, Universitas Samudra, Kampus Unsam Meurandeh. Langsa.
- Patty, F. (ed.), 1963. *Industrial Hygiene and Toxicology: Volume II: Toxicology*. 2nd ed. New York: *Interscience Publishers*, 1963., p. 1683
- PubChem, 2021. <https://pubchem.ncbi.nlm.nih.gov>. Dirilis 2021.05.07.
- Rahmat, N., Hafiza, E., & Yusof, N. F. M., 2014. *Thermogravimetric Analysis (TGA) Profile of Modified SBA- 15 AT Different Amount of Alkoxysilane Group*. 18(3), 7.
- Rajib Azri, Syaiful Bahri, dan Aman, 2014. Pirolisis Biomassa Pelepah Sawit Menjadi Bio-Oil Dengan Katalis Natural Zeolit Dealuminated (NZA). Universitas Riau. Riau.
- Rasid, N. S. A., Asadullah, M., Malek, N. H., and Amin, N. A. S., 2020. *Fast pyrolysis of oil palm empty fruit bunch in an auger reactor: bio-oil composition and characteristics*. Vol. 736, pp. 032021. IOP Publishing.
- Ristianingsih, Y., Ulfa, A., dan Ks, R. S., 2015. Pengaruh Suhu dan Konsentrasi Perekat Terhadap Karakteristik Briket Bioarang Berbahan Baku Tandan Kosong Kelapa Sawit dengan Proses Pirolisis. *Konversi 4*, 45-51.

- Safana, A. A., Abdullah, N., and Sulaiman, F., 2018. *Bio-char and bio-oil mixture derived from the pyrolysis of mesocarp fibre for briquettes production*. *J. Oil Palm Res* 30, 130e40.
- Salema, A.A., Afzal, M.T., Bennamoun, L., 2017. *Pyrolysis of corn stalk biomass briquettes in a microwave technology*. *Bioresour. Technol.* 233, 353–362.
- Shrivastava P., Kumar A., Tekasakul P., Lam, S.S., Palamanit A., 2021. *Comparative Investigation of Yield and Quality of Bio-Oil and Biochar from Pyrolysis of Woody and NonWoody Biomasses*. *Energies* 2021, 14, 1092. <https://doi.org/10.3390/en14041092>
- Shrotri, A., Kobayashi, H., and Fukuoka, A., 2017. *Chapter Two - Catalytic Conversion of Structural Carbohydrates and Lignin to Chemicals*. In *"Advances in Catalysis"* (C. Song, ed.), Vol. 60, pp. 59-123. Academic Press.
- Sondakh R. C., E Hambali and N S Indrasti, 2019. *Improving characteristic of bio-oil by esterification method*. *IOP Conf. Series: Earth and Environmental Science* 230 (2019) 012071. doi:10.1088/1755-1315/230/1/012071
- Sukandi Agus, Muhamad Idris Solahuddin dan M. Kurniadi Rasyid, 2018. Analisis Pengaruh Perbedaan Nilai HHV (High Heating Value) Batubara terhadap Gas Hasil Pembakaran pada Boiler. *Jurnal Teknik Mesin*. Jakarta.
- Sukiran, M. A., Chin, C. M., dan Bakar, N. K. A., 2009. *Bio-oils from pyrolysis of oil palm empty fruit bunches*. *American Journal of Applied Sciences* 6, 869-875.
- Tazora, Z. 2011. Peningkatan Mutu Biodiesel Dari Minyak Biji Karet Melalui Pencampuran Dengan Biodiesel Dari Minyak Jarak Pagar. Bogor: Sekolah Pasca Sarjana Institut Pertanian Bogor.
- Thangalazhy-Gopakumar, S., Al-Nadheri, W. M. A., Jegarajan, D., Sahu, J. N., Mubarak, N. M., and Nizamuddin, S., 2015. *Utilization of palm oil sludge through pyrolysis for bio-oil and bio-char production*. *Bioresource technology* 178, 65-69.
- U.S. *Environmental Protection Agency*, 1987. *Health and Environmental Effects Profile for Phenol*. EPA/600/x-87/121. *Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, Office of Research and Development, Cincinnati, OH*. 1987.
- Wang H., Tucker M., Ji Y., 2013. *Recent Development in Chemical Depolymerization of Lignin: A Review*. *Journal of Applied Chemistry*, 838645. doi: 10.1155/2013/838645.

- Wijayanti Widya, 2019. Identifikasi *heating rate* kinetika reaksi pirolisis kayu mahoni dengan termal analisis dan termogravimetri. eISSN 2477-6041 9, pp. 65-76.
- Wulandari Ria Yeni Season S. Chen, Glemarie C. Hermosa Md Shahriar A. Hossain Yusuke Yamauchi , Tansir Ahamad , Saad M. Alshehri Kevin C.W. Wu Ho-Shing Wu, 2020. *Effect of N<sub>2</sub> flow rate on kinetic investigation of lignin pyrolysis*. Yuan Ze University. Taiwan. *Environmental Research* 190 (2020) 109976.
- Xiu S, Shahbazi A, Wang L, Wallace C, 2010 *Supercritical ethanol liquefaction of swine manure for bio-oils production* Ame. J. Eng. Appl. Sci. 3 2 494–500.
- Zhao, W., Glavas, L., Odelius, K., Edlund, U., and Albertsson, A. C., 2014. *Facile and green approach towards electrically conductive hemicellulose hydrogels with tunable conductivity and swelling behavior*. Chem. Mater. 26, 4265–4273. doi: 10.1021/cm501852w